Active management of traditional coppice forests: An interface between silviculture and operations

Authors: J. Carvalho, N. Magagnotti¹, V.N. Nicolescu, P. Ruch, R. Spinelli, E. Tolosana

> **COST Action FP1301 EuroCoppice** Innovative management and multifunctional utilisation of traditional coppice forests – an answer to future ecological, economic & social challenges in the European forestry sector

Coppice and Coppice Silviculture

Coppice is a forest regenerated from vegetative shoots that originate from the stump and/or from the roots, depending on the species.

The potential of producing shoots depends on the species, tree age, season of cutting, site conditions and other factors. Most broadleaved tree species (e.g. oaks, sweet chestnut, linden, willows, poplars, hornbeam, elms, alders, black locust, eucalypts, etc.) produce shoots and can be treated as coppice.

There are different forms of coppice forests: simple coppice, coppice with standards, coppice selection and pollarding (Fig. 1).



Figure 1. Examples of different forms of coppice forests: simple coppice (left) and pollarding (right) (Photo: V.N. Nicolescu

Coppice forests can provide many different products and services, such as wood and non-wood products, biodiversity, protection and heritage ecosystem services.

Approximately 16% of all productive forests in Europe are classified as coppice, covering a total area of ca. 23 million ha. These are mainly located in the far west, south and south-eastern parts of the continent. Over half of European coppice forests are situated in industrialized countries, such as France, Italy and Spain. Since the renewal of coppice stands depends on active human intervention, abandonment is the greatest threat to the existence of coppice. The widespread abandonment that has occurred within the past century is a result of the social and economic transformation of European society, which has made traditional coppicing practices less profitable in many countries.

Converting coppice forest to high forest is an approach used to attempt to increase owner revenues and maintain active management. In some circumstances, this approach has been driven by subsidies or legal requirements. Such instru-

ments do not, however, always achieve desirable results: Conversion requires suitable site, species and market conditions, and should not be generalized.

Under certain economic conditions there has been the opposite effect, where coppice has been degraded through overexploitation. The restoration of such coppice forests is possible and has been performed in some parts of Europe.

A new and interesting opportunity for expanding the active management of coppice stands is offered by the modern bio-economy, which is generating a large and sustained demand for biomass feedstock. Coppice management can supply this market with significant amounts of wood if the production can be achieved at competitive cost.

Coppice forests are acknowledged for providing important amenity, cultural and biodiversity services with the potential to generate greater revenues in the future.

¹ Corresponding author: magagnotti@ivalsa.cnr.it





COST is supported by the EU Framework Programme Horizon 2020



Coppice Products and Operations

Many wood products can be obtained from coppice forests, such as firewood, biomass chips, fencing assorted and industrial wood (pulp, panels, tannin etc.). Coppice also offers a variety of non-wood forest products, such as truffles, mushrooms and honey.

The market for these products can be local, regional and even international. Niche markets are also available for traditional small-scale products, such as baskets and crafts.

The industrial scale of some markets (pulpwood, panels, biomass etc.) offers great opportunities for reviving active coppice management. These specific markets require a high production capacity in order to supply large amounts of wood (Fig. 2).



Figure 2. Mechanized felling and bunching in a eucalypt coppice (Photo: J. Carvalho)



Figure 3. Mechanized felling and processing (Photo: P. Ruch)

High production capacity is only achievable through the increased mechanization of harvest operations, which would also help to compensate for the effects of high labour cost and labour shortage experienced in most industrialized countries.

Technological progress has made possible the effective introduction of mechanized felling to coppice operations (Fig. 3), significantly increasing worker safety and productivity. Professional management of mechanized harvesting can prevent or minimize undesired effects, such as soil, stump and stand damage.

The productivity of motor-manual and mechanized harvesting improves with increasing tree size and harvest intensity. Productivity is also higher on flat lands and gentle slopes than on rough terrain. Long extraction distances have a negative impact on harvesting costs.

When harvesting is mechanized, the amount of wood removed must be large enough to offset the high fixed cost of transporting machines to the worksite.

Specific harvesting techniques and equipment (whole-tree harvesting, bundling, chipping, etc.) are required for the supply of feedstock to the biomass sector (Fig. 4).

Work safety has become a priority across Europe, and the accident rate and severity in mechanized felling is much lower compared with the motormanual option.



Figure 4. Coppice harvesting residues are chipped into renewable fuel (Photo: E. Tolosana)

Considerations for Active Coppice Management

Active coppice management should be sustainable in all terms (economic, ecological, social), but requires financial viability in the absence of subsidies or other financial aid. The total area of coppice forests in Europe is so large that subsidies can only be directed towards special cases.

Silvicultural prescriptions should be formulated in such a way that their practical implementation is easy and cost-effective.

The coppice silvicultural system and rotation should be chosen depending on the species and the requirements of the local, regional, national or international markets.

Abandoned, neglected or overexploited coppice forests are likely to degrade and may not fully (re-)cover their functions. Such degraded forests should be restored by using different techniques, which are seldom cost-effective and, thus, require subsidization.



Figure 5. Processor and yarder (Photo: R. Spinelli)

The financial viability of the commercial harvest of coppice in industrialized economies requires that a minimum amount of wood is removed and that a certain harvest intensity is applied. The combination of these two conditions determines the minimum harvest area. At the same time, there are maximum limits for harvest area that should not be exceeded,



Figure 6. Cable yarder extraction is the best solution when site conditions are not favourable to machine access (Photo: R. Spinelli)

in order to preserve the ecological, protection and aesthetic functions of coppice forests.

Wherever labour costs are high, selective and lowintensity thinning incurs net operation losses.

Mechanization may increase the productivity, profitability and safety of coppice management operations. It also compensates for the decreasing availability of rural labour in some regions.

Mechanized harvesting requires specific work conditions and involves specific risks (Fig. 5 & 6).

Aside from the general conditions for successful operation, mechanization also requires sufficient annual utilization to depreciate the large capital outlay. If coppice rejuvenation is not impeded, then one may consider extending the cutting season beyond traditional practice. This is an important prerequisite when cutting is mechanized and the equipment can only be used in coppice forests.

Generally, the quality of cut in mechanized felling is poorer than that of motor-manual felling (Fig. 7). If poor cut quality compromises coppice re-sprouting and/or growth, then remedial action should be taken. On the other hand, if no consequences are experienced on coppice re-sprouting and/or growth, then some tolerance for poor cut quality is advocated.

The unregulated access of machinery to the forest may result in damage to stumps, residual trees,



Figure 7. Motor-manual felling (Photo: R. Spinelli)

advanced regeneration and soil. Therefore, preventive measures must be taken, especially when site conditions are unfavourable.

Whole-tree harvesting may negatively affect soil fertility, especially on poor sites and when leaves are also removed from the site. Therefore, wholetree harvesting should be applied with caution, after a careful evaluation of site conditions and of potential undesired effects.

Conclusive Statements

Coppice forests are an important renewable resource for Europe, with a large potential for providing products and services that have, thus far, only been used to a small extent. The new awareness of the potential of coppice forests together with the existing and future markets for renewable biomass offer an ideal opportunity for reviving active coppice management.

Unlocking the full potential of coppice forests requires a strong connection between silviculture and forest operations.

EuroCoppice - COST Action FP1301 (2013 - 2017) brought together over 150 experts, researchers and practitioners from 35 European and partner countries to collect and analyse information on coppice forests and their management. Special emphasis was given to technical and economic methods that provide ecological services and sustainable products from coppice forests, all the while considering the effects on rural development, growth and job creation. For more information visit: www.eurocoppice.uni-freiburg.de

Chair of FP1301 EuroCoppice: Gero Becker, gero.becker@fob.uni-freiburg.de Vice-Chair of FP1301 EuroCoppice: Raffaele Spinelli, spinelli@ivalsa.cnr.it



Further Contacts: EuroCoppice initiated a long-term platform for coppice-related topics within IUFRO (www.iufro.org), the global organisation for forest research: Working Party 01.03.01 "Traditional coppice: ecology, silviculture and socio-economic aspects". Coordinator: Valeriu-Norocel Nicolescu, nvnicolescu@unitbv.ro





COST is supported by the EU Framework Programme

www.cost.eu

COST (European Cooperation in Science and Technology) is a pan-European intergovernmental framework. Its mission is to enable break-through scientific and technological developments leading to new concepts and products and thereby contribute to strengthening Europe's research and innovation capacities.

Year of publication: 2017 Design & lavout: Alicia Unrau Images: Simple coppice (grey) based on a drawing by João Carvalho; Leaf vector originals designed by www.freepik.com (modified)